

THE NURSE IS TEACHING A CLIENT ABOUT THE PROPER USE OF TRANSDERMAL PATCHES. WHICH LOCATION WILL THE NURSE

THE NURSE IS TEACHING A CLIENT ABOUT THE PROPER USE OF TRANSDERMAL PATCHES. WHICH LOCATION WILL THE NURSE SELECT FOR APPLICATION TO ENSURE OPTIMAL ABSORPTION, SAFETY, AND EFFECTIVENESS? TRANSDERMAL PATCHES ARE A CONVENIENT AND NON-INVASIVE METHOD OF DELIVERING MEDICATIONS DIRECTLY THROUGH THE SKIN INTO THE BLOODSTREAM. PROPER APPLICATION, INCLUDING CHOOSING THE CORRECT SITE, IS ESSENTIAL TO MAXIMIZE THERAPEUTIC BENEFITS AND MINIMIZE POTENTIAL SIDE EFFECTS OR COMPLICATIONS. THIS ARTICLE PROVIDES AN IN-DEPTH OVERVIEW OF HOW NURSES EDUCATE CLIENTS ON THE CORRECT PLACEMENT OF TRANSDERMAL PATCHES, KEY CONSIDERATIONS FOR SITE SELECTION, AND BEST PRACTICES FOR SAFE AND EFFECTIVE USE.

UNDERSTANDING TRANSDERMAL PATCHES

WHAT ARE TRANSDERMAL PATCHES?

TRANSDERMAL PATCHES ARE ADHESIVE PATCHES THAT CONTAIN A SPECIFIC DOSE OF MEDICATION DESIGNED FOR ABSORPTION THROUGH THE SKIN. THEY ARE USED TO DELIVER VARIOUS DRUGS, INCLUDING HORMONES (LIKE ESTROGEN AND TESTOSTERONE), NICOTINE, PAIN MEDICATIONS, AND CARDIOVASCULAR AGENTS SUCH AS NITROGLYCERIN.

ADVANTAGES OF USING TRANSDERMAL PATCHES

- CONSISTENT DRUG DELIVERY: MAINTAINS STABLE PLASMA DRUG LEVELS.
- CONVENIENCE: EASY TO APPLY AND REMOVE, IMPROVING PATIENT COMPLIANCE.
- REDUCED GASTROINTESTINAL SIDE EFFECTS: BYPASSES THE DIGESTIVE SYSTEM.
- IMPROVED COMPLIANCE: SUITABLE FOR PATIENTS WHO HAVE DIFFICULTY SWALLOWING PILLS.

POTENTIAL RISKS AND PRECAUTIONS

- SKIN IRRITATION OR ALLERGIC REACTIONS.
- ACCIDENTAL OVERDOSE IF PATCHES ARE MISPLACED OR REUSED.
- INCONSISTENT ABSORPTION IF NOT APPLIED PROPERLY.
- CONTAMINATION OF THE APPLICATION SITE.

KEY PRINCIPLES IN TEACHING CLIENTS ABOUT TRANSDERMAL PATCH APPLICATION

EDUCATION GOALS FOR CLIENTS

- CORRECT SITE SELECTION FOR APPLICATION.
- PROPER APPLICATION AND REMOVAL TECHNIQUES.
- SKIN PREPARATION BEFORE APPLYING THE PATCH.

- SITE ROTATION TO PREVENT SKIN IRRITATION.
- RECOGNIZING SIGNS OF ADVERSE REACTIONS.
- SAFE DISPOSAL OF USED PATCHES.

ROLE OF THE NURSE IN EDUCATION

THE NURSE'S ROLE IS TO PROVIDE CLEAR, COMPREHENSIVE INSTRUCTIONS TAILORED TO THE CLIENT'S NEEDS, ENSURING THEY UNDERSTAND THE IMPORTANCE OF PROPER APPLICATION, SAFETY MEASURES, AND WHEN TO SEEK MEDICAL ADVICE.

CHOOSING THE RIGHT LOCATION FOR TRANSDERMAL PATCH APPLICATION

FACTORS INFLUENCING SITE SELECTION

- SKIN INTEGRITY: CHOOSE AREAS FREE OF CUTS, RASHES, OR IRRITATIONS.
- ABSORPTION EFFICIENCY: SKIN AREAS WITH GOOD BLOOD FLOW FACILITATE EFFECTIVE DRUG ABSORPTION.
- AVOIDING HAIRY AREAS: HAIR CAN INTERFERE WITH ADHESION AND ABSORPTION.
- EASE OF ACCESS: AREAS THAT ARE EASY FOR THE PATIENT TO REACH AND MONITOR.
- AVOIDING AREAS OF FRICTION OR TIGHT CLOTHING: TO PREVENT DISLODGEEMENT OR SKIN IRRITATION.

COMMON SITES FOR TRANSDERMAL PATCHES

- UPPER ARMS
- CHEST
- UPPER BACK
- FLANKS (SIDES OF THE TORSO)
- ABDOMEN
- THIGHS

SITES TO AVOID

- SKIN WITH CUTS, WOUNDS, OR INFECTIONS
- SKIN WITH SCARS OR SCARS FROM PREVIOUS APPLICATIONS
- AREAS WITH EXCESSIVE HAIR
- SKIN FOLDS (E.G., GROIN, AXILLAE)
- AREAS NEAR BONES OR JOINTS THAT BEND FREQUENTLY

BEST PRACTICES FOR APPLYING TRANSDERMAL PATCHES

PREPARATION BEFORE APPLICATION

- WASH HANDS THOROUGHLY.
- INSPECT THE SKIN FOR ANY IRRITATION OR ABNORMALITIES.
- CLEAN THE APPLICATION SITE WITH MILD SOAP AND WATER; DRY COMPLETELY.
- IF INSTRUCTED, REMOVE ANY OLD PATCHES AND CLEAN THE AREA.

APPLICATION TECHNIQUE

1. PEEL THE PATCH FROM ITS BACKING.
2. AVOID TOUCHING THE ADHESIVE SIDE TO PREVENT CONTAMINATION.
3. APPLY THE PATCH FIRMLY TO THE CHOSEN SITE, ENSURING FULL CONTACT.
4. PRESS DOWN FOR AT LEAST 10 SECONDS TO SECURE ADHESION.
5. DOCUMENT THE SITE, DATE, AND TIME OF APPLICATION.

POST-APPLICATION CARE

- WASH HANDS AFTER HANDLING THE PATCH.
- COVER THE PATCH WITH ADDITIONAL PROTECTIVE TAPE IF NEEDED.
- INSTRUCT THE CLIENT TO AVOID TOUCHING OR SCRATCHING THE PATCH.
- ADVISE CLIENTS TO KEEP THE PATCH DRY; AVOID BATHING OR SWIMMING UNLESS PERMITTED.

MONITORING AND PATIENT EDUCATION

SIGNS TO WATCH FOR

- SKIN IRRITATION, REDNESS, OR RASH AT THE APPLICATION SITE.
- UNUSUAL SYSTEMIC SYMPTOMS INDICATING OVERDOSE OR ADVERSE EFFECTS.
- DISLODGEEMENT OR PEELING OF THE PATCH.
- ALLERGIC REACTIONS SUCH AS ITCHING, SWELLING, OR BLISTERING.

INSTRUCTIONS FOR THE CLIENT

- ROTATE APPLICATION SITES TO PREVENT SKIN IRRITATION.
- KEEP A LOG OF APPLICATION DATES AND SITES.
- DO NOT CUT OR ALTER THE PATCH UNLESS INSTRUCTED.
- DISPOSE OF USED PATCHES PROPERLY, AWAY FROM CHILDREN AND PETS.
- STORE PATCHES IN A SAFE, DRY PLACE AWAY FROM HEAT AND SUNLIGHT.

DISPOSAL OF USED PATCHES

- FOLD THE USED PATCH IN HALF WITH THE ADHESIVE SIDES TOGETHER TO PREVENT MEDICATION FROM LEAKING.
- DISPOSE OF IN A SECURE CONTAINER, FOLLOWING LOCAL REGULATIONS.
- DO NOT FLUSH PATCHES DOWN THE TOILET UNLESS SPECIFICALLY INSTRUCTED.

SAFETY CONSIDERATIONS AND SPECIAL SITUATIONS

FOR PATIENTS WITH SENSITIVE SKIN

- USE HYPOALLERGENIC PATCHES IF AVAILABLE.
- CONDUCT SKIN ASSESSMENTS REGULARLY.
- CONSIDER ALTERNATIVE ROUTES IF SKIN REACTIONS PERSIST.

PATIENTS WHO ARE ELDERLY OR HAVE LIMITED MOBILITY

- ASSIST WITH APPLICATION AND REMOVAL.
- EDUCATE ON THE IMPORTANCE OF SITE ROTATION.
- MONITOR FOR SKIN CHANGES AND ADVERSE EFFECTS.

IN CASE OF ACCIDENTAL EXPOSURE OR MISUSE

- REMOVE THE PATCH IMMEDIATELY.
- WASH THE AREA THOROUGHLY.
- CONTACT HEALTHCARE PROVIDER IF OVERDOSE SYMPTOMS OR SEVERE REACTIONS OCCUR.

CONCLUSION

PROPER APPLICATION AND SITE SELECTION FOR TRANSDERMAL PATCHES ARE CRITICAL COMPONENTS OF EFFECTIVE MEDICATION THERAPY. THE NURSE'S ROLE IN EDUCATING CLIENTS ENSURES THEY UNDERSTAND THE IMPORTANCE OF CHOOSING APPROPRIATE SITES SUCH AS THE UPPER ARMS, CHEST, OR UPPER BACK—AREAS WITH INTACT SKIN, GOOD BLOOD FLOW, AND MINIMAL FRICTION. EMPHASIZING SKIN PREPARATION, APPLICATION TECHNIQUES, SITE ROTATION, AND SAFE DISPOSAL HELPS PREVENT COMPLICATIONS AND ENHANCES THERAPEUTIC OUTCOMES. BY PROVIDING COMPREHENSIVE, TAILORED EDUCATION, NURSES EMPOWER CLIENTS TO USE TRANSDERMAL PATCHES SAFELY AND EFFECTIVELY, ULTIMATELY IMPROVING HEALTH OUTCOMES AND MEDICATION ADHERENCE.

REFERENCES

- PHARMACOLOGY TEXTBOOKS AND NURSING GUIDES
- CENTERS FOR DISEASE CONTROL AND PREVENTION (CDC) GUIDELINES
- MEDICATION MANUFACTURER INSTRUCTIONS
- NURSING PRACTICE STANDARDS AND PROTOCOLS

FREQUENTLY ASKED QUESTIONS

WHAT ARE THE RECOMMENDED SITES FOR APPLYING TRANSDERMAL PATCHES?

RECOMMENDED SITES INCLUDE THE UPPER CHEST, BACK, UPPER ARM, OR TORSO, AVOIDING AREAS WITH HAIR, SCARS, OR SKIN IRRITATION.

HOW SHOULD THE CLIENT PREPARE THE SKIN BEFORE APPLYING A TRANSDERMAL PATCH?

THE CLIENT SHOULD CLEAN THE AREA WITH SOAP AND WATER, DRY THOROUGHLY, AND AVOID APPLYING LOTIONS OR OILS THAT COULD INTERFERE WITH ADHESION.

CAN THE PATCH BE APPLIED TO THE SAME SITE REPEATEDLY?

NO, THE CLIENT SHOULD ROTATE APPLICATION SITES TO PREVENT SKIN IRRITATION AND ENSURE PROPER ABSORPTION.

WHAT SHOULD THE CLIENT DO IF THEY NOTICE SKIN IRRITATION OR A RASH AT THE APPLICATION SITE?

THE CLIENT SHOULD REMOVE THE PATCH AND CONTACT THEIR HEALTHCARE PROVIDER FOR FURTHER EVALUATION AND GUIDANCE.

ARE THERE ANY AREAS ON THE BODY WHERE TRANSDERMAL PATCHES SHOULD NOT BE APPLIED?

YES, THEY SHOULD NOT BE APPLIED TO BROKEN, IRRITATED, OR INFLAMED SKIN, OR AREAS WITH SCARS OR CUTS.

HOW DOES THE NURSE ENSURE PROPER PLACEMENT AND ADHERENCE OF THE PATCH?

THE NURSE INSTRUCTS THE CLIENT TO PRESS FIRMLY ON THE PATCH FOR ABOUT 10 SECONDS TO SECURE IT AND TO CHECK REGULARLY FOR SIGNS OF DETACHMENT.

WHAT PRECAUTIONS SHOULD THE CLIENT TAKE REGARDING CLOTHING AND BATHING AFTER APPLYING THE PATCH?

THE CLIENT SHOULD WEAR LOOSE CLOTHING TO AVOID DISLODGING THE PATCH AND SHOULD AVOID BATHING OR SHOWERING DIRECTLY OVER THE PATCH UNLESS INSTRUCTED OTHERWISE, AS WATER CAN AFFECT ADHESION.

ADDITIONAL RESOURCES

THE NURSE IS TEACHING A CLIENT ABOUT THE PROPER USE OF TRANSDERMAL

PATCHES. WHICH LOCATION WILL THE NURSE SELECT TO ENSURE OPTIMAL MEDICATION DELIVERY AND PATIENT SAFETY? PROPER APPLICATION OF TRANSDERMAL PATCHES IS A CRITICAL ASPECT OF PATIENT CARE. AS HEALTHCARE PROFESSIONALS, NURSES PLAY A VITAL ROLE IN EDUCATING CLIENTS ON HOW TO CORRECTLY USE THESE PATCHES, ENSURING THERAPEUTIC EFFECTIVENESS WHILE MINIMIZING RISKS. THIS GUIDE PROVIDES AN IN-DEPTH OVERVIEW OF THE BEST PRACTICES FOR APPLYING TRANSDERMAL PATCHES, INCLUDING THE IDEAL LOCATIONS, PREPARATION STEPS, AND COMMON PITFALLS TO AVOID.

INTRODUCTION TO TRANSDERMAL PATCHES

TRANSDERMAL PATCHES ARE MEDICATED ADHESIVE PATCHES PLACED ON THE SKIN TO DELIVER DRUGS DIRECTLY INTO THE BLOODSTREAM OVER A SPECIFIED PERIOD. THEY OFFER SEVERAL ADVANTAGES, INCLUDING STEADY MEDICATION LEVELS, IMPROVED ADHERENCE, AND CONVENIENCE. COMMON MEDICATIONS ADMINISTERED VIA TRANSDERMAL PATCHES INCLUDE NICOTINE (FOR SMOKING CESSATION), HORMONE THERAPIES, ANALGESICS, AND CERTAIN CARDIOVASCULAR DRUGS.

HOWEVER, FOR THESE BENEFITS TO BE FULLY REALIZED, PROPER APPLICATION AND SITE SELECTION ARE ESSENTIAL. INCORRECT PLACEMENT CAN LEAD TO REDUCED EFFECTIVENESS, SKIN IRRITATION, OR UNINTENDED DRUG ABSORPTION.

IMPORTANCE OF PROPER APPLICATION AND SITE SELECTION

THE EFFECTIVENESS OF A TRANSDERMAL PATCH DEPENDS HEAVILY ON ITS PLACEMENT. CHOOSING THE CORRECT LOCATION ENSURES:

- OPTIMAL ABSORPTION: SKIN AREAS WITH GOOD BLOOD FLOW FACILITATE EFFECTIVE DRUG DELIVERY.
- MINIMIZED IRRITATION: AVOIDING AREAS PRONE TO FRICTION OR SENSITIVE SKIN REDUCES ADVERSE REACTIONS.
- PATIENT COMFORT AND ADHERENCE: PROPERLY PLACED PATCHES ARE LESS LIKELY TO FALL OFF OR CAUSE DISCOMFORT.
- REDUCED RISK OF ACCIDENTAL EXPOSURE: PROPER SITE SELECTION MINIMIZES THE CHANCE OF UNINTENTIONAL CONTACT WITH OTHERS OR CONTAMINATION.

CRITERIA FOR SELECTING THE APPLICATION SITE

WHEN TEACHING CLIENTS ABOUT TRANSDERMAL PATCH APPLICATION, NURSES EMPHASIZE SEVERAL KEY CRITERIA FOR SITE SELECTION:

1. SKIN INTEGRITY AND CONDITION

- CHOOSE AREAS FREE FROM CUTS, RASHES, SCARS, OR IRRITATION.
- AVOID SKIN WITH DERMATITIS OR OPEN WOUNDS.

2. SKIN THICKNESS AND BLOOD FLOW

- PREFER AREAS WITH GOOD BLOOD FLOW FOR BETTER ABSORPTION.
- AVOID THICK, CALLOUSED, OR SCARRED SKIN.

3. ACCESSIBILITY AND CONVENIENCE

- SELECT SITES THAT ARE EASILY ACCESSIBLE FOR APPLICATION AND REMOVAL.
- CONSIDER PATIENT'S DAILY ACTIVITIES AND CLOTHING COVERAGE.

4. ROTATION AND SITE MAINTENANCE

- ROTATE SITES TO PREVENT SKIN IRRITATION.
- MAINTAIN AT LEAST 1 INCH (2.5 CM) BETWEEN APPLICATION SITES TO AVOID OVERLAPPING ABSORPTION.

5. AVOIDANCE OF CERTAIN AREAS

- DO NOT APPLY PATCHES OVER:
- SKIN WITH HAIR (MAY NEED TO BE SHAVED CAREFULLY)
- MUCOUS MEMBRANES
- AREAS WITH SKIN FOLDS (E.G., UNDER THE BREASTS, GROIN)
- AREAS WHERE SKIN IS COMPRESSED (E.G., UNDER TIGHT CLOTHING)
- SITES NEAR THE WAISTLINE IF CLOTHING FRICTION IS A CONCERN

IDEAL LOCATIONS FOR TRANSDERMAL PATCH APPLICATION

BASED ON THE ABOVE CRITERIA, THE NURSE WILL TYPICALLY RECOMMEND SPECIFIC BODY SITES FOR PATCH APPLICATION. THESE SITES ARE BOTH EFFECTIVE FOR ABSORPTION AND COMFORTABLE FOR THE PATIENT.

COMMONLY RECOMMENDED SITES INCLUDE:

- UPPER CHEST: AVOID AREAS NEAR THE BREASTS, ESPECIALLY IN WOMEN, TO PREVENT INTERFERENCE WITH BREAST TISSUE.
- UPPER BACK: BETWEEN THE SHOULDER BLADES, AN AREA LESS ACCESSIBLE TO THE PATIENT BUT IDEAL FOR ROTATION.
- UPPER ARMS: THE OUTER PART OF THE UPPER ARM IS EASILY ACCESSIBLE AND GENERALLY WELL-SUITED.
- LOWER ABDOMEN: BELOW THE WAISTLINE, AVOIDING THE IMMEDIATE AREA AROUND THE NAVEL.
- HIP AREA: THE LATERAL HIP REGION OFFERS A DISCREET LOCATION.
- OUTER THIGH: ESPECIALLY IN ACTIVE INDIVIDUALS, THIS AREA CAN BE SUITABLE.

SITES TO AVOID

- FACE OR NECK (DUE TO SKIN SENSITIVITY AND VISIBILITY)
- OVER JOINTS (WRISTS, ELBOWS, KNEES) WHERE MOVEMENT MAY DISLODGE THE PATCH
- OVER SKIN WITH HAIR OR SCARS
- OVER AREAS WITH IMPAIRED CIRCULATION OR SKIN CONDITIONS

STEP-BY-STEP GUIDE TO TEACHING CLIENTS PROPER APPLICATION

1. PREPARE THE SKIN

- INSTRUCT THE CLIENT TO WASH THE AREA WITH SOAP AND WATER.
- ENSURE THE SKIN IS DRY AND FREE OF OILS, LOTIONS, OR POWDERS.
- IF NECESSARY, GENTLY SHAVE HAIR TO IMPROVE ADHESION, TAKING CARE NOT TO CAUSE SKIN IRRITATION.

2. CHOOSE THE CORRECT SITE

- FOLLOW THE ROTATION PLAN TO PREVENT SKIN IRRITATION.
- SELECT A CLEAN, DRY AREA CONSISTENT WITH THE MEDICATION'S RECOMMENDATIONS.

3. REMOVE THE OLD PATCH

- IF REPLACING AN EXISTING PATCH, INSTRUCT TO CAREFULLY PEEL IT OFF.
- DISPOSE OF USED PATCHES SAFELY, FOLLOWING LOCAL REGULATIONS.

4. APPLY THE NEW PATCH

- REMOVE THE BACKING FROM THE ADHESIVE SIDE CAREFULLY.
- AVOID TOUCHING THE STICKY SURFACE TO PREVENT CONTAMINATION.

- PLACE THE PATCH ON THE DESIGNATED SITE, PRESSING FIRMLY TO ENSURE ADHERENCE.
- AVOID TOUCHING THE ADHESIVE WITH FINGERS TO PREVENT TRANSFER OF OILS OR DIRT.

5. CONFIRM PROPER PLACEMENT

- ENSURE THE ENTIRE PATCH ADHERES COMPLETELY.
- SECURE THE EDGES WITH ADDITIONAL TAPE IF NECESSARY, ESPECIALLY IN AREAS PRONE TO FRICTION.

6. DOCUMENT AND EDUCATE

- RECORD THE APPLICATION DATE AND SITE.
- EDUCATE THE PATIENT ON HOW TO CHECK THE PATCH REGULARLY.
- INSTRUCT ON AVOIDING BATHING OR SWIMMING IF NOT SPECIFIED BY THE MANUFACTURER.

COMMON PATIENT EDUCATION POINTS

- DO NOT CUT OR ALTER THE PATCH. CUTTING CAN RELEASE A CONCENTRATED DOSE OF MEDICATION.
- WASH HANDS THOROUGHLY AFTER APPLICATION. PREVENT ACCIDENTAL TRANSFER TO EYES OR OTHER AREAS.
- AVOID EXPOSING THE PATCH TO HEAT SOURCES. HEAT CAN INCREASE DRUG ABSORPTION (E.G., HEATING PADS, HOT SHOWERS).
- DO NOT APPLY LOTIONS, OILS, OR POWDERS ON THE SAME SITE.
- REPORT SKIN IRRITATION OR DISCOMFORT. SKIN REDNESS, RASH, OR BLISTERING SHOULD BE EVALUATED.
- FOLLOW THE PRESCRIBED SCHEDULE FOR CHANGING PATCHES. DO NOT WEAR MULTIPLE PATCHES UNLESS DIRECTED.
- STORE PATCHES OUT OF REACH OF CHILDREN AND PETS.

MONITORING FOR ADVERSE EFFECTS AND COMPLICATIONS

NURSES SHOULD EDUCATE CLIENTS TO WATCH FOR SIGNS OF ADVERSE REACTIONS, INCLUDING:

- SKIN IRRITATION OR RASH
- UNUSUAL DIZZINESS OR NAUSEA
- SIGNS OF OVERDOSE OR TOXICITY (E.G., SEVERE HEADACHE, WEAKNESS)
- LOSS OF PATCH ADHERENCE OR ACCIDENTAL DETACHMENT

ENCOURAGE CLIENTS TO REPORT ANY CONCERNS PROMPTLY AND TO FOLLOW UP WITH THEIR HEALTHCARE PROVIDER AS NEEDED.

CONCLUSION: THE IDEAL LOCATION FOR TRANSDERMAL PATCHES

THE NURSE IS TEACHING A CLIENT ABOUT THE PROPER USE OF TRANSDERMAL PATCHES, AND SELECTING THE APPROPRIATE APPLICATION SITE IS A CORNERSTONE OF EFFECTIVE THERAPY. THE IDEAL LOCATION BALANCES FACTORS LIKE SKIN INTEGRITY, BLOOD FLOW, EASE OF ACCESS, AND PATIENT COMFORT. COMMON AND SUITABLE SITES INCLUDE THE UPPER OUTER ARM, UPPER CHEST, UPPER BACK, LOWER ABDOMEN, AND LATERAL HIPS.

BY ADHERING TO THESE GUIDELINES, NURSES CAN HELP ENSURE MEDICATION EFFICACY, MINIMIZE SKIN IRRITATION, AND PROMOTE PATIENT ADHERENCE. PROPER EDUCATION AND SITE ROTATION NOT ONLY OPTIMIZE THERAPEUTIC OUTCOMES BUT ALSO ENHANCE PATIENT SAFETY AND CONFIDENCE IN MANAGING THEIR TREATMENT.

REMEMBER, EVERY MEDICATION MAY HAVE SPECIFIC SITE RECOMMENDATIONS OUTLINED IN THE PRESCRIBING INFORMATION, SO ALWAYS REVIEW MANUFACTURER INSTRUCTIONS AND TAILOR EDUCATION ACCORDINGLY.

[THE NURSE IS TEACHING A CLIENT ABOUT THE PROPER USE OF TRANSDERMAL PATCHES WHICH LOCATION WILL THE NURSE](#)

THE NURSE IS TEACHING A CLIENT ABOUT THE PROPER USE OF TRANSDERMAL PATCHES WHICH LOCATION WILL THE NURSE

RELATED ARTICLES

- [WHAT MUST AN EMPLOYEE BE ABLE TO SHOW TO ESTABLISH A CLAIM OF AGE DISCRIMINATION? THEY ARE UNDER 65 YEARS](#)
- [WHAT TYPES OF MEMORIES DO THE HIPPOCAMPUS AND THE AMYGDALA](#)

RECORD? MULTIPLE CHOICE SEMANTIC AND GUSTATORY

- WHAT IS THE NAME OF AN INVESTMENT THAT POOLS MONEY FROM MANY INVESTORS IN ORDER TO ACQUIRE A LARGE VARIETY

[BACK TO HOME](#)